International Textbook of Diabetes Mellitus, 4th Ed., Chapter 14 – Insulin actions *in vivo*: glucose metabolism

References:

1. Thorens B, Mueckler M: Glucose transporters in the 21st century. *American Journal of Physiology - Endocrinology and Metabolism.* 2010;298:E141 – E145.
2. Leto D, Saltiel AR: Regulation of glucose transport by insulin: traffic control of GLUT4. *Nature Reviews Molecular Cell Biology.* 2012;13:383 – 396.
3. Jacquez JA: Red blood cell as glucose carrier: significance for placental and cerebral glucose transfer. *American Journal of Physiology.* 1984;246:R289 – 298.
4. Zierler KL:Theory of the use of arteriovenous concentration differences for measuring metabolism in steady and non-steady states. *Journal of Clinical Investigation* 1961;40:2111–2125.
5. Schmidt FJ, Sluiter WJ, Schoonen AJM: Glucose concentration in subcutaneous extracellular space. *Diabetes Care* 1993;16:695–700. 6
6. Wasserman DH, Kang L, Avala JE, etal.: The physiological regulation of glucose flux into muscle in vivo. *The Journal of Experimental Biology* 2011; 214:254–262.
7. Bertoldo A, Pencek RR, Azuma K, et al.: Interactions between delivery, transport, and phosphorylation of glucose in governing uptake into human skeletal. *Diabetes* 2006;55:3028 – 3037.
8. Barrett EJ, Wang H, Upchurch CT, Liu Z: Insulin regulates its own delivery to skeletal muscle by feed-forward actions on the vasculature. *American Journal of Physiology - Endocrinology and Metabolism* 2011;301:E252 – 263.
9. Baron AD: Hemodynamics actions of insulin. *American Journal of Physiology* 1994;267:E187 – 202.
10. Castillo C, Bogardus C, Bergman R, et al.: Interstitial insulin concentrations determine glucose uptake rates but not insulin resistance in lean and obese men. *Journal of Clinical Investigation* 1994;93:10 – 16.
11. Eggleston EM, Jahn LA, Barrett EJ: Hyperinsulinemia rapidly increases human muscle microvascular perfusion but fails to increase muscle insulin clearance: evidence that a saturable process mediates muscle insulin uptake. *Diabetes* 2007;56:2958–2963.
12. DeFronzo RA: Banting Lecture. From the triumvirate to the ominous octet: a new paradigm for the treatment of type 2 diabetes mellitus. *Diabetes* 2009;58:773–795.
13. Stumvoll M, Meyer C, Mitrakou A, et al.: Renal glucose production and utilization: new aspects in humans. *Diabetologia* 1997;40:749 – 757.
14. Wolfe RR, Chinkes DL: *Isotope Tracers in Metabolic Research: Principles and Practice of Kinetic Analysis*. Hoboken, NJ: John Wiley & Sons, Inc., 2005.

15. Ferrannini E, Del Prato S, DeFronzo RA: Glucose kinetics: tracer methods. In Clarke WL, Larner J, Pohl SL (eds.) *Methods in Diabetes Research, Vol 11: Clinical Methods*. New York, NY: John Wiley & Sons, Inc., 1986, pp. 107–142.
16. Cobelli C, Mari A, Ferrannini E: The non-steady state problem: error analysis of Steele's model and developments for glucose kinetics. *American Journal of Physiology* 1987;252: E679–687.
17. Bonen A, McDermott JC, Tan MH: Glycogenesis and glyconeogenesis in skeletal muscle: effects of pH and hormones. *American Journal of Physiology* 1990;258: E693–700.
18. Katz J, Golden S, Dunn A, Chenoweth M: Estimation of glucose turnover in rats in vivo with tritium labeled glucoses. *Hoppe-Seyler's Z Physiol Chem* 1976;357:1387–1394.
19. Abdul-Ghani MA, DeFronzo RA: *Pathogenesis of insulin resistance in skeletal muscle. Journal of Biomedicine and Biotechnology* 2010; doi: 10.1155/2010/476279.
20. Natali A, Toschi E, Camastra S, et al., for the European Group for the Study of Insulin Resistance (EGIR): Determinants of postabsorptive endogenous glucose output in non-diabetic subjects. *Diabetologia* 2000;43:1266–1272.
21. Rothman DL, Magnusson I, Katz LD, et al.: Quantitation of hepatic glycogenolysis and gluconeogenesis in fasting human with 13C NMR. *Science* 1991;254:573 – 576.
22. Gastaldelli A, Baldi S, Pettiti M, et al.: Influence of obesity and type 2 diabetes on gluconeogenesis and glucose output in humans: a quantitative study. *Diabetes* 2000;49: 1367 – 73.
23. Landau BR, Wahren J, Chandramouli V, et al.: Contribution of gluconeogenesis to glucose production in the fasted state. *Journal of Clinical Investigation* 1996;98:378 – 385.
24. Gastaldelli A, Toschi E, Pettiti M, et al.: Effect of physiological hyperinsulinemia on gluconeogenesis in nondiabetic subjects and in type 2 diabetic patients. *Diabetes* 2001;50:1807–1812.
25. Magnusson I, Rothman DL, Katz LD,etal.: Increased rate of gluconegenesis in type II diabetes mellitus. A 13C nuclear magnetic resonance study. *Journal of Clinical Investigation* 1992;90:1323–1327.
26. DeFronzo RA, Ferrannini E: Regulation of hepatic glucose metabolism in humans. *Diabetes/Metabolism Reviews* 1987;3: 415 – 459.
27. DeFronzo RA, Ferrannini E, Simonson DC: Fasting hyperglycemia in non-insulin-dependent diabetes mellitus: contributions of excessive hepatic glucose production and impaired tissue glucose uptake. *Metabolism* 1989;38:387–395.
28. Felig P, Sherwin RS: Carbohydrate homeostasis, liver and diabetes. *Progress in Liver Diseases* 1976;5:169–171.
29. Landau BR: Estimating gluconeogenic rates in NIDDM. *Advances in Experimental Medicine and Biology* 1993;334:209–220.

30. Bjorkman O, Eriksson LS, Nyberg B, Wahren J: Gut exchange of glucose and lactate in basal state and after oral glucose ingestion in postoperative patients. *Diabetes* 1990;39:747–751.
31. Shimazu T: Neuronal regulation of hepatic glucose metabolism in mammals. *Diabetes/Metabolism Reviews* 1987;3:185–206.
32. DeFronzo RA, Ferrannini E, Hendler R, et al.: Regulation of splanchnic and peripheral glucose uptake by insulin and hyperglycemia in man. *Diabetes* 1983;32:35–45.
33. DeFronzo RA, Ferrannini E, Hendler R,etal.:Influence of hyperinsulinemia, hyperglycemia, and the route of glucose administration on splanchnic glucose. *PNAS* 1978;75:5173–5177.
34. Katz LD, Glickman MG, Rapoport S,etal.: Splanchnic and peripheral disposal of oral glucose in man. *Diabetes* 1983;32:675–679. 35 Gerich JE, Campbell PJ: Overview of counterregulation and its abnormalities in diabetes mellitus and other conditions. *Diabetes/Metabolism Reviews* 1988;4:93–112.
35. Ferrannini E, Wahren J, Felig P, DeFronzo RA: The role of fractional glucose extraction in the regulation of splanchnic glucose metabolism in normal and diabetic man. *Metabolism* 1980;29: 28–35.
36. Galassetti P, Chu CA, Neal DW, et al.: A negative arterial–portal venous glucose gradient increases net hepatic glucose uptake in euglycemic dogs. *American Journal of Physiology* 1999; 277:E126 – 134.
37. Williamson JR, Kreisberg RA, Felts PW: Mechanism for the stimulation of gluconeogenesis by fatty acids in perfused rat liver. *PNAS* 1966;56:247 – 254.
38. Friedman B, Goodman EH, Jr., Weinhouse S: Effects of insulin and fatty acids on gluconeogenesis in the rat. *The Journal of Biological Chemistry* 1967;242:3620–3627.
39. Havel RJ, Kane JP, Balasse EO, et al.: Splanchnic metabolism of free fatty acids and production of triglycerides of very low density lipoproteins in normotriglyceridemic and hypertriglyceridemic humans. *Journal of Clinical Investigation* 1970;49:2017 – 2035.
40. Wahren J, Hagenfeldt L, Felig P: Splanchnic and leg exchange of glucose, amino acids, and free fatty acids during exercise in diabetes mellitus. *Journal of Clinical Investigation* 1975;55:1303 – 1314.
41. Wititsuwannakul D, Kim K: Mechanism of palmityl coenzyme a inhibition of liver glycogen synthase. *The Journal of Biological Chemistry* 1977;252:7812 – 7817.
42. Ferrannini E, Barrett EJ, Bevilacqua S, DeFronzo RA: Effect of fatty acids on glucose production and utilization in man. *Journal of Clinical Investigation* 1983;72:1737–1747.
43. Basso LV, Havel RJ: Hepatic metabolism of free fatty acids in normal and diabetic dogs. *Journal of Clinical Investigation* 1970; 49:537 – 547.
44. DeFronzo RA: Lilly Lecture 1987. The triumvirate: beta-cell, muscle, liver. A collusion responsible for NIDDM. *Diabetes* 1988;37: 667 – 687.

45. Chiasson JL, Liljenquist JE, Finger FE, Lacy WW: Differential sensitivity of glycogenolysis and gluconeogenesis to insulin infusion in the dog. *Diabetes* 1976;25:283 – 291.
46. Ferrannini E, Cobelli C: The kinetics of insulin in man, II: Role of the liver. *Diabetes/Metabolism Reviews* 1987;3:365–397.
47. Gerich J, Cryer P, Rizza R: Hormonal mechanisms in acute glucose counterregulation: the relative roles of glucagon, epinephrine, norepinephrine, growth hormone and cortisol. *Metabolism* 1980;29:1164 – 1175.
48. DeFronzo RA, Sherwin RS, Felig P: Synergistic interactions of counterregulatory hormones: a mechanism for stress hyperglycemia. *Acta Chirurgica Scandinavica* 1980;498(Suppl):33–42.
49. Shamoon H, Hendler R, Sherwin RS: Synergistic interactions among anti-insulin hormones in the pathogenesis of stress hyperglycemia in humans. *Journal of Clinical Endocrinology & Metabolism* 1981;52:1235–1241.
50. Cherington AD: Banting Lecture 1997. Control of glucose uptake and release by the liver in vivo. *Diabetes* 1999;48:1198–1214.
51. Gerich JE, Mitrakou A, Kelley D, et al.: Contribution of impaired muscle glucose clearance to reduced postabsorptive systemic glucose clearance in NIDDM. *Diabetes* 1990;39:211–216.
52. Ferrannini E: The theoretical bases of indirect calorimetry: a review. *Metabolism* 1988;37:287–301.
53. Simonson DC, DeFronzo RA: Indirect calorimetry: methodological and interpretative problems. *American Journal of Physiology* 1990;258:E399 – 412.
54. Natali A, Buzzigoli G, Taddei S, et al.: Effects of insulin on hemodynamics and metabolism in human forearm. *Diabetes* 1990;39:490 – 500.
55. Newsholme EA, Leech AR: *Biochemistry for the Medical Sciences*. Chichester: John Wiley & Sons, Ltd., 1983, pp. 308–310.
56. Ferrannini E, Pilo A: Pattern of insulin delivery after intravenous glucose injection, and its relation to plasma glucose disappearance. *Journal of Clinical Investigation* 1979;64: 243–254.
57. Bergman RN, Ider YZ, Bowden CR, Cobelli C: Quantitative estimation of insulin sensitivity. *American Journal of Physiology* 1979;236: E667 – 677.
58. Cobelli C, Pacini G, Toffolo G, Sacca L: Estimation of insulin sensitivity and glucose clearance from minimal model: new insights from labeled IVGTT. *American Journal of Physiology* 1986; 253:E551 – 564.
59. Bergman RN, Finegood DT, Ader M: Assessment of insulin sensitivity in vivo. *Endocrine Reviews* 1985;6:45–86.
60. Pei D, Jones CN, Bhargava R, et al.: Evaluation of octreotide to assess insulin-mediated glucose disposal by the insulin suppression test. *Diabetologia* 1994;37:843–845.
61. DeFronzo RA, Tobin J, Andres R: Glucose clamp technique: a method for quantifying insulin secretion and insulin resistance. *American Journal of Physiology* 1979;237:E214–223.

62. Groop LC, Bonadonna RC, Del Prato S, et al.: Glucose and free fatty acid metabolism in non-insulin-dependent diabetes mellitus. *Evidence for multiple sites of insulin resistance. Journal of Clinical Investigation* 1989;84:205–213.
63. Iozzo P, Geisler F, Oikonen V, et al.: Insulin stimulates liver glucose uptake in humans: an 18F-FDG PET Study. *Journal of Nuclear Medicine* 2003;44:682 – 689.
64. Yki-Jarvinen H, Young AA, Lamkin C, Foley J: Kinetics of glucose disposal in whole body and across the forearm in man. *Journal of Clinical Investigation* 1987;79:1713 – 1719.
65. Prager R,Wallace P, Olefsky JM: In vivo kinetics of insulin action on peripheral glucose disposal and hepatic output in normal and obese subjects. *Journal of Clinical Investigation* 1986;78:472 – 481.
66. Lillioja S, Mott DM, Zawadzki JK, et al.: In vivo insulin action is familial characteristic in non-diabetic Pima Indians. *Diabetes* 1987;36:1329 – 1335.
67. Thiebaud D, Jacot E, DeFronzo RA, etal.: The effect of graded doses of insulin on total glucose uptake, glucose oxidation, and glucose storage in man. *Diabetes* 1982;31:957–963.
68. Groop LC ,Bonadonna RC, DelPrato S,etal.: Glucose and free fatty acid metabolism in non-insulin-dependent diabetes mellitus. *Evidence for multiple sites of insulin resistance. Journal of Clinical Investigation* 1989;84:205–213.
69. Randle PJ, Newsholme EA, Garland PB: Regulation of glucose uptake by muscle. Effects of fatty acids, ketone bodies, and pyruvate, and of alloxan diabetes and starvation, on the uptake and metabolic fate of glucose in rat heart and diaphragm muscles. *Biochemical Journal* 1964;93:652–665.
70. Pratipranawatr T, Pratipanawatr W, Rosen C, et al.: Effects of IGF-I on FFA and glucose metabolism in control and type 2 diabetes subjects. *American Journal of Physiology - Endocrinology and Metabolism* 2002;282:E1360–1368.
71. Kashyap SR, Belfort R, Berria R, et al.: Discordant effects of a chronic physiological increase in plasma FFA on insulin signalling in healthy subjects with or without a family history of type 2 diabetes. *American Journal of Physiology - Endocrinology and Metabolism* 2004;287:E537–546.
72. Bonadonna RC, Zych K, Boni C, et al.: Time dependence of the interaction between glucose and lipid in man. *American Journal of Physiology* 1989;257:E49–57.
73. Pendergrass M, Nucci G, DeFronzo RA: In vivo glucose transport (GT) and phosphorylation (GP) in skeletal muscle are impaired by elevation of plasma FFA. *Diabetes* 1998;47:A64.
74. Kelley DE, Reilly JP,Veneman T, Mandarino LJ: Effects of insulin on skeletal muscle glucose storage, oxidation, and glycolysis in humans. *American Journal of Physiology* 1990;258:E923–929.

75. Roden M: Muscle triglycerides and mitochondrial function: possible mechanisms for the development of type 2 diabetes. *International Journal of Obesity* 2005;29(Suppl 2):S111–115.
76. Dresner A, Laurent D, Marcucci M, et al.: Effects of free fatty acids on glucose transport and IRS-1-associated phosphatidylinositol 3-kinase activity. *Journal of Clinical Investigation* 1999;103:253 – 259.
77. Itani SI, Ruderman NB, Schmieder F, Boden G: Lipid-induced insulin resistance in human muscle is associated with changes in diacylglycerol, protein kinase C, and IkappaB-alpha. *Diabetes* 2002;51:2005 – 2011.
78. Haus JM, Kashyap SR, Kasumov T, etal.: Plasma ceramides are elevated in obese subjects with type 2 diabetes and correlate with the severity of insulin resistance. *Diabetes* 2009;58:337–343.
79. Samuel VT, Petersen KF, Shulman G: Lipid-induced insulin resistance: unravelling the mechanism. *Lancet* 2010; 375:2267–2277.
80. Bays H, Mandarino L, DeFronzo RA: Role of the adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator-activated receptor agonists provide a rational therapeutic approach. *Journal of Clinical Endocrinology & Metabolism* 2004;89:463 – 478.
81. Ferrannini E, Bevilacqua S, Lanzone L, et al.: Metabolic interactions of amino acids and glucose in healthy humans. *Diabetes, Nutrition & Metabolism* 1988;3:175 – 186.
82. Ferrannini E, Barrett EJ, Bevilacqua S, et al.: Effect of free fatty acids on blood amino acid levels in humans. *American Journal of Physiology* 1986;250:E686–694.
83. DeFronzo RA, Ferrannini E: Regulation of intermediary metabolism during fasting and feeding. In: DeGroot L, Jameson J (eds.) *Endocrinology*. Philadelphia, PA: W.B. Saunders, 2001, pp. 737 – 755.
84. DeFronzo RA: Insulin resistance, lipotoxicity, type 2 diabetes and atherosclerosis: the missing links. The Claude Bernard Lecture 2009. *Diabetologia* 2010;53:1270–1287.
85. Bajaj M, DeFronzo RA: Metabolic and molecular basis of insulin resistance. *Journal of Nuclear Cardiology* 2003;10:311–323.
86. Taniguchi CM, Emanuelli B, Kahn CR: Critical nodes in signalling pathways: insight into insulin action. *Nature Reviews Molecular Cell Biology* 2006;7:85–96.
87. Saltiel AR, Kahn CR: Insulin signalling and the regulation of glucose and lipid metabolism. *Nature* 2001;414:799–806.
88. Beck-Nielsen H: The role of glycogen synthase in the development of hyperglycemia in type 2 diabetes: ‘To store or not to store glucose that’s the question’. *Diabetes/Metabolism Research and Reviews* 2012;28:635 – 644.
89. Virkamaki A, Ueki K, Kahn CR: Protein–protein interaction in insulin signaling and the molecular mechanisms of insulin resistance. *Journal of Clinical Investigation* 1999;103:931–943.

90. Roach PJ, Depaoli-Roach AA, Hurley TD, Tagliabracci VS: Glycogen and its metabolism: some new developments and old themes. *Biochemistry Journal* 2012;441:763–787.
91. Shepherd PR, Kahn BB: Glucose transporters and insulin action—implications for insulin resistance and diabetes mellitus. *New England Journal of Medicine* 1999;341:248–257.
92. Printz RL ,Koch S, Potter LR, etal.: HexokinaseIIm RNA and gene structure, regulation by insulin, and evolution. *The Journal of Biological Chemistry* 1993;268:5209–5219.
93. Bonadonna RC, DelPrato S, Bonora E, etal.: Roles of glucose transport and glucose phosphorylation in muscle insulin resistance of NIDDM. *Diabetes* 1996;45:915–925.
94. Pendergrass M, Bertoldo A, Bonadonna R, et al.: Muscle glucose transport and phosphorylation in type 2 diabetic, obese nondiabetic, and genetically predisposed individuals. *American Journal of Physiology - Endocrinology and Metabolism* 2007;292:E92–100.
95. Rogers PA, Fisher RA, Harris H: An electrophoretic study of the disruption and properties of human hexokinases. *Biochemical Genetics* 1975;13:857–866.
96. Magnuson MA, Andreone TL, Printz RL, et al.: Rat glucokinase gene: structure and regulation by insulin. *PNAS* 1989; 86:4838 – 4842.
97. Mandarino LJ, Printz RL, Cusi KA, et al.: Regulation of hexokinase II and glycogen synthase mRNA, protein, and activity in human muscle. *American Journal of Physiology* 1995;269:E701 – 708.
98. Vogt C, Yki-Jarvinen H, Iozzo P, et al.: Effects of insulin on subcellular localization of hexokinase II in human skeletal muscle in vivo. *Journal of Clinical Endocrinology & Metabolism* 1998;83:230 – 234.
99. Dent P, Lavoinne A, Nakielny S, et al.: The molecular mechanisms by which insulin stimulates glycogen synthesis in mammalian. *Nature* 1990;348:302 – 307.
100. Cohen P: The structure and regulation of protein phosphatises. *Annual Review of Biochemistry* 1989;58:453 – 508.
101. Newgard CB, Brady MJ, O'Doherty RB, Saltiel AR: Organizing glucose disposal. Emerging roles of the glycogen targeting subunits of protein phosphatise-1. *Diabetes* 2000;49: 1967–1977.
102. Mandarino LJ, Wright KS, Verity LS, et al.: Effects of insulin infusion on human skeletal muscle pyruvate dehydrogenase, phosphofructokinase, and glycogen synthase: evidence for their role in oxidative glucose metabolism. *Journal of Clinical Investigation* 1987;80:655 – 663.
103. Pilks SJ, El-Maghrabi, Claus TH:Fructose-2,6-biphosphate in control of hepatic gluconeogenesis. *Diabetes Care* 1990;13:582–599.
104. Vestergaard H, Lund S, Larsen FS, et al.: Glycogen synthase and phosphofructokinase protein and mRNA levels in skeletal muscle from insulin-resistance patients with non-insulin-dependent diabetes mellitus. *Journal of Clinical Investigation* 1993;91:2342 – 2350.

105. Constantin-Teodosiu D: Regulation of muscle pyruvate dehydrogenase complex in insulin resistance: effects of exercise and dichloroacetate. *Diabetes & Metabolism Journal* 2013;37:301–314.
106. Jeoung NH, Harris RA: Role of pyruvate dehydrogenase kinase 4 in regulation of blood glucose levels. *Korean Diabetes Journal* 2010;34:274 – 283.
107. Pilo A, Ferrannini E, Biorkman O, et al.: Analysis of subjects: a double tracer approach. In: Cobelli C, Bergman RN (eds.) *Carbohydrate Metabolism*. New York: John Wiley & Sons, Inc., 1981, pp. 221 – 238.
108. Felig P, Wahren J,Hendler R:Influence of maturity-onset diabetes on splanchnic balance after oral glucose ingestion. *Diabetes* 1978;27:121 – 126.
109. Ferrannini E, Bjorkman O, Reichard GA, et al.: The disposal of an oral glucose load in healthy subjects. *A quantitative study. Diabetes* 1985;34:580 – 588.
110. Jenkins DJA, Wolever TMS, Ocana AM, et al.: Metabolic effects of reducing rate of glucose ingestion by single bolus versus continuous sipping. *Diabetes* 1990;39:775–781.
111. Ishida T, Chap Z, Chen J, et al.: Differential effects of oral, peripheral intravenous, and intraportal glucose on hepatic glucose uptake and insulin and glucagon extraction in conscious dogs. *Journal of Clinical Investigation* 1983;72:590–601.
112. Adkins BA, Myers SR, Hendrick GK, et al.: Importance of route of intravenous glucose delivery on hepatic glucose balance in the conscious dog. *Journal of Clinical Investigation* 1987;79:557–565.
113. Kelley D, Mitrakou A, Marsh H, et al.: Skeletal muscle glycolysis, oxidation, and storage of an oral glucose load. *Journal of Clinical Investigation* 1988;81:1563–1571.
114. Abumrad NN, Cherrington AD, Williams PE, et al.: Absorption and disposition of a glucose load in the conscious dog. *American Journal of Physiology* 1982;242:E398–406.
115. Radziuk J: Carbon transfer in the measurement of glycogen synthesis from precursors during absorption of an ingested glucose load. *Federation Proceedings* 1982;41:88 – 90.
116. Newgard CB, Hirsch LJ, Foster DW, McGarry JD: Studies on the mechanism by which exogenous glucose is converted into liver glycogen in the rat. *The Journal of Biological Chemistry* 1983;258:8046 – 8052.
117. Shulman GI, Rothman DL, Smith D, et al.: Mechanism of liver glycogen repletion in vivo by nuclear magnetic resonance spectroscopy. *Journal of Clinical Investigation* 1985;76:1229 – 1236.
118. Holst JJ: Glucagon-like peptide-1: from extract to agent. The Claude Bernard Lecture 2005. *Diabetologia* 2006;49:253–260.
119. Drucker DJ: The biology of incretin hormones. *Cell Metabolism* 2006;3:153 – 165.
120. Plamboeck A, Veedfald S, Deacon CF, et al.: The effect of exogenous GLP-1 on food intake is lost in male truncally vagotomised

subjects with pyloroplasty. *American Journal of Physiology - Gastrointestinal and Liver Physiology* 2013;304:G1117–1127.

121. Cervera A, Wajcberg E, Sriwijitkamol A, et al.: Mechanism of action of exenatide to reduce postprandial hyperglycemia in type 2 diabetes. *American Journal of Physiology - Endocrinology and Metabolism* 2008;294:E846 – 852.

122. Seghieri M, Rebelos E, Gastaldelli A, et al.: Direct effect of GLP-1 infusion on endogenous glucose production in humans. *Diabetologia* 2013;56:156–161.

123. Thiebaud D, DeFronzo RA, Jacot E, et al.: Effect of long chain triglyceride infusion on glucose metabolism in man. *Metabolism* 1982;31:1128 – 1136.